



Postpartum Visit Algorithm: Chronic Hypertension

EVERY DAY

Checklist for Healthy Women

Exercise – 30 minutes a day, 5 days a week

Vitamin – 400 micrograms of Folic Acid per day

Educate yourself about medicines and chemicals that can cause birth defects

Reproductive life planning – set your personal goals for birth control and future children

Yearly doctor visits to discuss physical and mental wellness

Diet – Vegetables, fruits, and whole grains daily

Avoid tobacco, drugs, and alcohol

Your partner, friends, and family should be sources of support

Content from everywomancalifornia.org used with permission from the Preconception Health Council of California.

References:

Chobanian AV, Bakris GL, Black HR, et al., and the National High Blood Pressure Education Program Coordinating Committee. The seventh report of the Joint National Committee on prevention, detection, evaluation, and treatment of high blood pressure (JNC 7). Journal of the American Medical Association 2003;289:2560-72.

Cooper WO, Hernandez-Diaz S, Arbogast PG, et al. Major congenital malformations after first-trimester exposure to ACE inhibitors. New England Journal of Medicine 2006;354:2443-51.

LactMed. Retrieved May 8, 2011 from: http://toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?LACT

Lindheimer MD, Taler SJ, Cunningham FG. ASH Position Paper: hypertension in pregnancy. Journal of Clinical Hypertension 2009;11:214-25.

Lykke JA, Langhoff-Roos J, Sibai BM, et al. Hypertensive pregnancy disorders and subsequent cardiovascular morbidity and type 2 diabetes mellitus in the mother. Journal of Hypertension 2009;53:944.

Martin U, Foreman MA, Travis JC, et al. Use of ACE inhibitors and ARBs in hypertensive women of childbearing age. Journal of Clinical Pharmacy and Therapeutics 2008;33:507-11.

Yoder SR, Thornburg LL, Bisognano JD. Hypertension in pregnancy and women of childbearing age. American Journal of Medicine 2009;122:890-5.

